

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the Application of:

Keith R. Cromack et al.

Serial No.: 10/526,755

Filed: November 14, 2005

For: MEDICAL DEVICE HAVING
HYDRATION INHIBITOR

Group Art Unit: 1617

Examiner: Carlos A. Azpuru

Confirmation No. 6909

Box Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

RESPONSE TO EXAMINER'S INTERVIEW SUMMARY

Dear Sir:

This paper is responsive to the Interview Summary communication mailed October 19, 2010.


Applicant's representative, Carol A. Schneider, telephoned Examiner Carlos A. Azpuru on October 13, 2010, regarding the advisory action mailed August 10, 2010, wherein a rejection over WO 2002/062335 was maintained. Applicant's representative asked for clarification of the record because claim 25 was not listed as either rejected or objected to in the advisory action. Claim 25 refers to the value of LogP, which is addressed in the advisory action and is the basis of the rejection of being anticipated by WO 2002/062335. The examiner recognized the oversight in the listing of claims.

Applicants do not believe that any fee is due with this response. If this is incorrect, the Commission is authorized to charge any fee due to Squire Sanders & Dempsey LLP Deposit Account No. 07-1850.

Date: October 22, 2010

Respectfully submitted,

Squire, Sanders & Dempsey L.L.P.
275 Battery Street, Suite 2600
San Francisco, CA 94111
(415) 954-0200


Carol A. Schneider, Ph.D.
Reg. No. 34,923